

SAFETY DATA SHEET

| 1. Identification | |
|--------------------------------|---|
| Important information | *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. *** |
| Product identifier | V1R16Series |
| Other means of identification | |
| Synonyms | HP 3D HR PA12 Powder |
| Recommended use | Materials to be processed in HP 3D MJF equipment only. |
| Recommended restrictions | None known. |
| Manufacturer/Importer/Supplier | r/Distributor information |
| | HP Canada Co. |
| | 5150 Spectrum Way, Floor 6 |
| | Mississauga, Ontario, Canada L4W 5G1 |
| Telephone | 1-905-206-4725 |
| | or 1-888-447-4636 |
| HP Inc. health effects line | |
| (Toll-free within the US) | 1-800-457-4209 |
| (Direct) | 1-760-710-0048 |
| HP Inc. Customer Care Line | |
| (Toll-free within the US) | 1-800-474-6836 |
| (Direct) | 1-208-323-2551 |
| Email: | hpcustomer.inquiries@hp.com |
| Emergency Telephone Number | 1-760-710-0048 |
| Supplier | Not available. |
| 2. Hazard identification | |
| Physical hazards | Not classified. |
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | Warning |
| Hazard statement | May form combustible dust concentrations in air. |
| Precautionary statement | • |
| Prevention | Take precautionary measures against static discharge. Use with adequate ventilation. Avoid generation or accumulation of dust. |
| Response | If inhaled, remove to fresh air. Get medical attention if symptoms persist. IN CASE OF FIRE, use water spray or fog, foam, dry chemical or CO2. Collect in a chemical waste container. Use only vacuum cleaners approved for combustible dust collection. |
| Storage | Not available. |
| Disposal | Not available. |
| Other hazards | May form combustible dust concentrations in air. |

This material is considered hazardous under the OSHA Hazard Communication Standard criteria, based on hazard(s) not otherwise classified.

3. Composition/information on ingredients

| Mixtures | | | |
|---|---|---|---|
| Chemical name | Common name and synonyms | CAS number | % |
| Polyamide | | Proprietary | 90-100 |
| Composition comments | The components of this product have been ev Canada Hazardous Products Regulations (HF | | hazard criteria of the |
| 4. First-aid measures | | | |
| Inhalation | If dust from the material is inhaled, remove the | e affected person immediately | o fresh air. |
| | Move to fresh air in case of accidental inhalati is difficult, give oxygen. Oxygen or artificial res advice. | | |
| Skin contact | Wash the skin immediately with soap and water. In case of contact with molten product, cool rapidly with water and seek immediate medical attention. Do not attempt to remove molten produ from skin because skin will tear easily. | | |
| Eye contact | Dust: Wash well-open eyes immediately, abur remaining under the eyelids. If irritation persis On contact with hot product: Cool eyes rapidly Continue to rinse for at least 15 minutes. Get | ts, consult a doctor. with cold water after contact v | |
| Ingestion | If swallowed, do NOT induce vomiting. Get me unconscious person. | edical attention. Never give any | thing by mouth to ar |
| Most important symptoms/effects, acute and delayed | No experiences of acute or chronic damages | in humans have been made ye | t. |
| General information | Risk of skin burn caused by hot melt. Do not leave the victim unattended. Remove victim immediately from source of ex Victim to lie down in the recovery position, cov | | |
| 5. Fire-fighting measures | | | |
| Suitable extinguishing media | Water spray, foam, dry powder or carbon diox | ide. | |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as thi | s will spread the fire. | |
| Specific hazards arising from the chemical | May be released in case of fire: carbon monopole of decomposition. Under certain fire conditions | | |
| Special protective equipment and precautions for firefighters | As in any fire, wear self-contained breathing a (approved or equivalent) and full protective ge | | SHA/NIOSH |
| Fire fighting equipment/instructions | Do not use a solid stream of water. A solid str fighting equipment should be thoroughly deco | | t explosion. Fire |
| General fire hazards | Dust clouds generated during handling and/or that all equipment is properly grounded and in requirements. As with any dry material, pourin conveyed through chutes or pipes can accum causing ignition of the material itself, or of any with the material or its container. | stalled to satisfy electrical clas ig this material or allowing it to ulate and generate electrostation | sification free-fall or to be c sparks, potentially |

6. Accidental release measures

| Personal precautions, protective equipment and emergency procedures | In case product dust is released: Dust mask |
|---|---|
| Methods and materials for containment and cleaning up | Sweep up or vacuum up spillage and collect in suitable container for disposal. If a vacuum is used, the motor must be rated as dust explosion-proof. Dispose of in compliance with federal, state, and local regulations. |
| Environmental precautions | Prevent further leakage or spillage. Do not let product enter drains. Do not flush into surface water or sanitary sewer system. |

with the material or its container.

7. Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes Avoid breathing dust. Prevent dust accumulation to minimize explosion hazard. Inside and outside the equipment should be cleaned regularly with an explosion-protected vacuum cleaner to avoid dust accumulation. Do not sweep the dust or or try to remove it with a compressed-air gun. Remove contaminated clothing and wash the skin thoroughly with soap and water after work.

Conditions for safe storage, including any incompatibilities

Store away from moisture and heat to maintain the technical properties of the product. Eliminate sources of ignition. Do not expose to heat or store above 60C.

8. Exposure controls/personal protection

Occupational exposure limits

| ACGIH Material | Туре | Value | Form |
|------------------------------------|---|---|--|
| V1R16Series | TWA | 10 mg/m3 | Inhalable particles (ACGIH) |
| Comments: | Inhalable particles | | |
| Biological limit values | No biological exposure limits noted for | the ingredient(s). | |
| Exposure guidelines | Exposure Limits | | |
| Appropriate engineering controls | US ACGIH as amended (03/2016) (TW US CA OEL (TWA/PEL): 10 mg/m3 (T US CA OEL (TWA/PEL): 5 mg/m3 (Re US OSHA as amended (03/2016) (TW, US OSHA as amended (03/2016) (TW, dust) US OSHA as amended (03/2016) (TW, dust) US OSHA as amended (03/2016) (TW, (Respirable fraction) HP recommends the use of HP access If other methods are used, read the foll storage can form explosive mixtures wi size, particle shape, moisture content, for | otal dust) espirable fraction) A:Z-3): 15 mg/m3 (Total dus A:Z-3): 5 mg/m3 (Respirable A:Z-3): 50 millions of particle A:Z-3): 15 millions of particle ories for unpacking 3D parts owing: Dust clouds generate th air. Dust explosion charac | t) fraction) is per cubic foot of air (Total is per cubic foot of air and refilling the build chamber. d during handling and/or teristics vary with the particle |
| | is properly grounded and installed to sa material, pouring this material or allowi can accumulate and generate electrost or of any flammable materials which m Investigate engineering techniques to r otherwise reduce exposures. Provide v exposure levels to below airborne expo ventilation at sources of air contaminat dust-handling systems (such as exhaus equipment) are designed in a manner t is no leakage from the equipment). Con NFPA Standard 654 for design of exha | atisfy electrical classification in ing it to fall freely or be conve- tatic sparks, potentially causin ay come into contact with the educe exposures below airbo- entilation if necessary to min poure limits. If practical, use lo ion such as open process eq at ducts, dust collectors, vess o prevent the escape of dust nsult ACGIH ventilation manu- | requirements. As with any dry yed through chutes or pipes ng ignition of the material itself, material or its container. The exposure limits or to imize exposures or to control ocal mechanical exhaust uipment. Ensure that sels, and processing into the work area (i.e., there ual, NFPA Standard 91 and |
| - | res, such as personal protective equipme | nt | |
| Eye/face protection | Wear safety glasses with side shields. | | |
| Skin protection Hand protection | Wear impermeable gloves. Protective h processing. Any areas of skin covered as the powder draws out natural moistu | with dust must be washed im | mediately with soap and water |
| Other | Processing of this product releases van industrial hygiene practice to minimize | | |
| Respiratory protection | Avoid breathing dust. Avoid breathing p likely or airborne exposure limits are ex equipment appropriate to the material a processing. | ceeded, use NIOSH approve | ed respiratory protection |
| Thermal hazards | In thermal processing: Risk of skin buri necessary. | ns. Wear appropriate thermal | protective clothing, when |
| General hygiene considerations | Always observe good personal hygiene and before eating, drinking, and/or smo equipment to remove contaminants. | | |

9. Physical and chemical properties

| 5 . Fliysical and chemical | properties |
|--|--|
| Appearance | Powder. Solid. |
| Physical state | Not available. |
| Form | Powder. |
| Color | White. |
| Odor | Not available. |
| Odor threshold | Not available. |
| рН | Not available. |
| Melting point/freezing point | 363.2 - 368.6 °F (184 - 187 °C) |
| Initial boiling point and boiling range | Not available. |
| Flash point | Not available. |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or exp | losive limits |
| Flammability limit - lower (%) | Not available. |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not available. |
| Vapor density | Not available. |
| Solubility(ies) | |
| Solubility (water) | insoluble |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | > 752 °F (> 400 °C) |
| Decomposition temperature | > 662 °F (> 350 °C) |
| Viscosity | Not available. |
| Other information | |
| Explosive properties | Dusts might form explosive mixtures with air. |
| | Powder explosivity data: |
| | Minimum Ignition Energy (MIE) "dust cloud" w/ Inductance >10mJ. Layer Ignition Temperature (LIT) "dust layer" >400degC. Minimum Ignition Temperature (MIT) "dust cloud" >360degC. Auto Ignition Temperature (AIT) >400degC. |
| Flammability (flash back) | This product is not flammable. |
| Oxidizing properties | Not oxidizing. |
| Specific gravity | 0.42 g/cm3 |

10. Stability and reactivity

| Under normal conditions: stable. |
|---|
| The product is stable under normal handling and storage conditions. |
| Will not occur. |
| Take measures to mitigate material spillage and avoid potential ignition sources such as ESD (ElectroStatic Discharges), flames, and sparks. Do not smoke nearby. Avoid wet/humid environment. Recommended working humidity 50-70%. Avoid dust formation. |
| Oxidizing materials, acids, strong bases, water and high humidity. |
| Decomposition products on thermal decomposition, carbon monoxide, carbon dioxide, Nitrogen oxides (NOx), organic products of decomposition. |
| |

Material name: V1R16Series

11. Toxicological information

Information on likely routes of exposure

| Inhalation | At high temperature, products of thermal decomposition can be irritating to respiratory system. |
|--|---|
| Skin contact | May be considered as comparable to a similar product for which experimental results are: Non irritating to skin. |
| Eye contact | May be considered as comparable to a similar product for which experimental results are: Not irritating to the eyes. |
| Ingestion | May be considered as comparable to a similar product for which experimental results are: Slightly harmful by ingestion. |
| Symptoms related to the physical, chemical and toxicological characteristics | Not available. |
| Information on toxicological effe | cts |
| Acute toxicity | Based on available data, the classification criteria are not met. |
| Skin corrosion/irritation | Based on available data, the classification criteria are not met. |
| Serious eye damage/eye irritation | Based on available data, the classification criteria are not met. |
| Respiratory or skin sensitization | |
| Respiratory sensitization | Based on available data, the classification criteria are not met. |
| Skin sensitization | Based on available data, the classification criteria are not met. |
| Germ cell mutagenicity | Based on available data, the classification criteria are not met. |
| Carcinogenicity | Based on available data, the classification criteria are not met. |
| Reproductive toxicity | Based on available data, the classification criteria are not met. |
| Specific target organ toxicity - single exposure | Based on available data, the classification criteria are not met. |
| Specific target organ toxicity - repeated exposure | Based on available data, the classification criteria are not met. |
| Aspiration hazard | Based on available data, the classification criteria are not met. |
| Further information | Complete toxicity data are not available for this specific formulation |

12. Ecological information

| 0 | |
|-------------------------------|--|
| Ecotoxicity | No ecotoxicity data noted for the ingredient(s). |
| Persistence and degradability | Not available. |
| Bioaccumulative potential | Not available. |
| Mobility in soil | Not available. |
| Other adverse effects | Not available. |
| | |

13. Disposal considerations

| Disposal instructions | Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. |
|--|---|
| Waste from residues / unused products | Not available. |
| Contaminated packaging | Not available. |

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

15. Regulatory information

| 15. Regulatory informati | ion |
|--|--|
| Canadian regulations | |
| Controlled Drugs and Sub | ostances Act |
| Not regulated. | |
| Export Control List (CEPA | A 1999, Schedule 3) |
| Not listed. | |
| Greenhouse Gases | |
| Not listed. | tiono |
| Precursor Control Regula Not regulated. | uons |
| International regulations | All chemical substances in this HP product have been notified or are exempt from notification |
| | under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China. |
| Stockholm Convention | |
| Not applicable. Rotterdam Convention | |
| Not applicable. Kyoto protocol | |
| Not applicable. | |
| Montreal Protocol | |
| Not applicable. | |
| Basel Convention | |
| Not applicable. | |
| 16. Other information | |
| Issue date | 15-Mar-2018 |
| Revision date | 27-Oct-2020 |
| Version # | 09 |
| Other information | This SDS was prepared in accordance with Canada Controlled Product Regulations. |
| Disclaimer | This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries. |
| Revision information | This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs. |
| | Exposure controls/personal protection: Exposure guidelines |

Explanation of abbreviations

| ACGIH | American Conference of Governmental Industrial Hygienists |
|--------|---|
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |
| | |