

# Composite Metal Rod - 316 Feedstock

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 18 November 2020 Revision date: 18 November 2020 Version: 1.0

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
 Trade name : Composite Metal Rod - 316 Feedstock  
 Product code : BMD-MP2002

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Metal rod for 3D Printing

#### 1.3. Supplier

Desktop Metal  
 63 3rd Avenue  
 Burlington, MA 01803  
 T 978-224-1244  
 www.desktopmetal.com

#### 1.4. Emergency telephone number

Emergency number : 978-224-1244 (Hours: 9:00 am to 5:00 pm Eastern time); 800-424-9300 (CHEMTREC Day or Night)

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Skin sensitization, Category 1 H317 May cause an allergic skin reaction  
 Carcinogenicity Category 2 H351 Suspected of causing cancer (Inhalation)  
 Specific target organ toxicity (repeated exposure) Category 1 H372 Causes damage to organs through prolonged or repeated exposure (Inhalation)

#### 2.2. GHS Label elements, including precautionary statements

##### GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger  
 Hazard statements (GHS US) : H317 - May cause an allergic skin reaction  
 H351 - Suspected of causing cancer (Inhalation)  
 H372 - Causes damage to organs through prolonged or repeated exposure (Inhalation)  
 Precautionary statements (GHS US) : P201 - Obtain special instructions before use.  
 P202 - Do not handle until all safety precautions have been read and understood.  
 P260 - Do not breathe dust.  
 P264 - Wash hands thoroughly after handling.  
 P270 - Do not eat, drink or smoke when using this product.  
 P272 - Contaminated work clothing must not be allowed out of the workplace.  
 P280 - Wear protective gloves, eye protection.  
 P302+P352 - If on skin: Wash with plenty of water.  
 P308+P313 - If exposed or concerned: Get medical advice/attention.  
 P314 - Get medical advice/attention if you feel unwell.  
 P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
 P363 - Wash contaminated clothing before reuse.  
 P405 - Store locked up.  
 P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : As supplied, metals in non-spontaneously combustible form.

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

# Composite Metal Rod - 316 Feedstock

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
Nickel	(CAS-No.) 7440-02-0	< 9.5	Skin Sens. 1, H317 Carc. 2, H351 STOT RE 1, H372

Comments : This mixture contains a non-hazardous proprietary organic binder system

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.
- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Get medical advice if skin irritation persists.
- First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Get medical advice/attention if you feel unwell.

#### 4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects after inhalation : Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure.
- Symptoms/effects after skin contact : May cause sensitization by skin contact.
- Symptoms/effects after eye contact : Not expected to be an irritant.
- Symptoms/effects after ingestion : May cause irritation to the digestive tract.
- Chronic symptoms : IF INHALED: Suspected of causing cancer.

#### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Water spray. Sand. In case of fire involving metal dust, use fire extinguisher class D.
- Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Specific hazards arising from the chemical

- Fire hazard : Not expected to be a fire/explosion hazard under normal conditions of use. On combustion forms: Irritating fumes. Metal oxides.
- Explosion hazard : Fine dust dispersed in air may ignite.
- Reactivity in case of fire : None known under normal conditions of use.

#### 5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

- Emergency procedures : No additional risk management measures required.

##### 6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

# Composite Metal Rod - 316 Feedstock

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13 : "Disposal considerations".

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin. Prevent dust accumulation to minimize explosion hazard.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Handle in accordance with good industrial hygiene and safety practice.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Incompatible materials. Keep container closed when not in use.

Incompatible materials : Strong bases. Strong acids. Strong oxidizing agents.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

<b>Composite Metal Rod - 316 Feedstock</b>	
No additional information available	
<b>Nickel (7440-02-0)</b>	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
Local name	Nickel, elemental
ACGIH TWA (mg/m <sup>3</sup> )	1.5 mg/m <sup>3</sup> (I - Inhalable particulate matter)
Remark (ACGIH)	TLV® Basis: Dermatitis; pneumoconiosis. Notations: A5 (Not Suspected as a Human Carcinogen)
ACGIH chemical category	Not Suspected as a Human Carcinogen
Regulatory reference	ACGIH 2020
<b>USA - OSHA - Occupational Exposure Limits</b>	
Local name	Nickel
OSHA PEL (TWA) (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup> metal and insoluble compounds (as Ni) 1 mg/m <sup>3</sup> soluble compounds (as Ni)
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
<b>USA - IDLH - Occupational Exposure Limits</b>	
US IDLH (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
<b>USA - NIOSH - Occupational Exposure Limits</b>	
NIOSH REL (TWA) (mg/m <sup>3</sup> )	0.015 mg/m <sup>3</sup>

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Impermeable protective gloves.

#### Eye protection:

Safety glasses.

#### Skin and body protection:

Not required for normal conditions of use

#### Respiratory protection:

In case of inadequate ventilation wear respiratory protection.

# Composite Metal Rod - 316 Feedstock

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Metal rod.
Color	: Gray
Odor	: Odorless
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: Not applicable
Relative evaporation rate (butyl acetate=1)	: Not applicable
Flammability (solid, gas)	: Not flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 5.3 g/cm <sup>3</sup>
Solubility	: Organic solvent:Partially soluble
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: 459 °C
Decomposition temperature	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: Not applicable
Explosion limits	: Not applicable
Explosive properties	: No data available
Oxidizing properties	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

None under normal conditions.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur. As supplied, metals in non-spontaneously combustible form.

### 10.4. Conditions to avoid

Refer to section 7.

### 10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

### 10.6. Hazardous decomposition products

On combustion forms: Irritating fumes. Metal oxides.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

# Composite Metal Rod - 316 Feedstock

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Nickel (7440-02-0)	
LD50 oral rat	> 9000 mg/kg
LC50 Inhalation - Rat	> 10.2 mg/l (Exposure time: 1 h)

Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Suspected of causing cancer (Inhalation).

Nickel (7440-02-0)	
IARC group	2B - Possibly carcinogenic to humans
National Toxicity Program (NTP) Status	Reasonably anticipated to be Human Carcinogen
In OSHA Hazard Communication Carcinogen list	Yes

Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Causes damage to organs through prolonged or repeated exposure (Inhalation).

Nickel (7440-02-0)	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure (Inhalation).

Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
Viscosity, kinematic	: Not applicable
Likely routes of exposure	: Ingestion. Inhalation. Eyes. Skin.
Symptoms/effects after inhalation	: Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure.
Symptoms/effects after skin contact	: May cause sensitization by skin contact.
Symptoms/effects after eye contact	: Not expected to be an irritant.
Symptoms/effects after ingestion	: May cause irritation to the digestive tract.
Chronic symptoms	: IF INHALED: Suspected of causing cancer.
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: This material has not been tested for environmental effects.
-------------------	--

Nickel (7440-02-0)	
LC50 fish 1	> 100 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)
LC50 other aquatic organisms 1	7.35 – 12.12 mg/l (Exposure time: 96 h - Species: Calanoid copepod (Eurytemora affinis))
EC50 Daphnia 1	> 100 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	1.3 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])

### 12.2. Persistence and degradability

Composite Metal Rod - 316 Feedstock	
Persistence and degradability	Not established.

### 12.3. Bioaccumulative potential

Composite Metal Rod - 316 Feedstock	
Bioaccumulative potential	Not established.

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Other information	: Avoid release to the environment.
-------------------	-------------------------------------

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.

# Composite Metal Rod - 316 Feedstock

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 14: Transport information

#### Department of Transportation (DOT)

In accordance with DOT

Not regulated

#### Transportation of Dangerous Goods

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

No additional information available

#### 15.2. International regulations

##### CANADA

No additional information available

##### EU-Regulations

No additional information available

##### National regulations

No additional information available

#### 15.3. US State regulations

**WARNING:** This product can expose you to Nickel, which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Component	State or local regulations
Nickel(7440-02-0)	U.S. - Maine - Chemicals of Concern

### SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 18 November 2020

Other information : None.

Full text of H-phrases:

H317	May cause an allergic skin reaction
H351	Suspected of causing cancer
H372	Causes damage to organs through prolonged or repeated exposure

SDS US (GHS HazCom 2012)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*