

Revision Number: 001.0 Issue date: 10/20/2021

1. PRODUCT AND COMPANY IDENTIFICATION

Item number:

LOCTITE 3D IND402 A70 High IDH number: Product name:

Rebound Grey

Product type/use: 3D Printing Restriction of Use: None identified

Company address:

Henkel Canada Corporation Meadow pine Boulevard 2515 Mississauga, Ontario L5N 6C3

Region: Contact information: Telephone: +1 (905) 814-6511

MEDICAL EMERGENCY Phone: Poison Control Center 1-877-671-4608 (toll free) or 1-303-592-1711

2703296

Loctite 3D IND402 A70 HR GR

TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887

Internet: www.henkelna.com

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

DANGER: THIS SUBSTANCE MAY CAUSE INTERNAL ORGAN EFFECTS.THIS

SUBSTANCE MAY CAUSE REPRODUCTIVE EFFECTS.

HARMFUL IF SWALLOWED. CAUSES SKIN IRRITATION.

MAY CAUSE AN ALLERGIC SKIN REACTION.

CAUSES SERIOUS EYE IRRITATION.

FATAL IF INHALED.

MAY CAUSE RESPIRATORY IRRITATION.

SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN CHILD.

HAZARD CLASS	HAZARD CATEGORY
ACUTE TOXICITY ORAL	4
ACUTE TOXICITY INHALATION	2
SKIN IRRITATION	2
EYE IRRITATION	2A
SKIN SENSITIZATION	1
REPRODUCTIVE TOXICITY	2
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	3



Precautionary Statements

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been

read and understood. Do not breathe vapors, mist, or spray. Wash affected area thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a w ell-ventilated area. Contaminated w ork clothing should not be allowed out of the w orkplace. Wear protective gloves, clothing, eye and face protection. [In case of inadequate ventilation]

w ear respiratory protection. When using this substance use skin protection.

IDH number: 2703296 Product name: LOCTITE 3D IND402 A70 High Rebound Grey Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN: Wash with plenty of

w ater. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with w ater for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical attention. If skin irritation or rash occurs: Get medical attention. If eye irritation persists: Get medical attention. Take off contaminated

clothing.

Storage:Store in a w ell-ventilated place. Keep container tightly closed. Store locked up.Disposal:Dispose of contents and/or container according to Federal, State/Provincial and local

governmental regulations.

Classification complies with Canadian Hazardous Products Regulations (WHMIS 2015) and is consistent with the provision of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	Weight %*
Aliphatic Urethane Acrylate Oligomer		60 - 80
4-(1-oxo-2-propenyl)-morpholine	5117-12-4	10 - 30
1H-Pyrrole-2,5-dione, 1-phenyl-	941-69-5	5 - 10
2-Hydroxyethyl methacrylate	868-77-9	1 - 5
Reaction mass of pentamethyl-4-	1065336-91-5	0.1 - 1
piperidylsebacates	1003330 31 3	0.1 1
diphenyl(2,4,6-	75980-60-8	0.1 - 1
trimethylbenzoyl)phosphine oxide		0.1 1
Glycerol, propoxylated, esters with acrylic	52408-84-1	0.1 - 1
acid 1-6.5PO	02.100.01.1	0.1
2-Propenoic acid, 2-methyl-, 2-(2-	2351-43-1	0.1 - 1
hydroxyethoxy)ethyl ester		0

^{*} Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

4. FIRST AID MEASURES

Inhalation: If not breathing, give artificial respiration. If breathing is difficult, oxygen

should be administered by qualified personnel. Move to fresh air. If symptoms

persist, seek medical advice.

Skin contact: Rinse with running water and soap. Remove contaminated clothing and

shoes. Wash contaminated clothing before reuse. Discard any shoes or

clothing items that cannot be decontaminated.

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Seek medical attention immediately.

Ingestion: Seek immediate medical attention. Do not induce vomiting. Never give

anything by mouth to an unconscious person.

Symptoms: See Section 11.

5. FIRE FIGHTING MEASURES

Extinguishing media: Water spray (fog), foam, dry chemical or carbon dioxide. Do not use high

volume water jet.

Special firefighting procedures: Wear self-contained breathing apparatus and full protective clothing, such as

turn-out gear. In case of fire, keep containers cool with water spray.

Uncontrolled polymerization may occur at high temperatures resulting in

explosions or rupture of storage containers.

Hazardous combustion products: Oxides of carbon, oxides of nitrogen, irritating organic vapors.

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, is olate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions: Do not allow product to enter sew er or waterways.

Clean-up methods: Remove all sources of ignition. Evacuate and ventilate spill area; dike spill to

prevent entry into w ater system; w earfull protective equipment during cleanup. Soak up w ith inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, saw dust). Scrape up as much material as possible. Store in a partly filled, closed container until disposal. Refer to Section 8 "Exposure

Controls / Personal Protection" prior to clean up.

7. HANDLING AND STORAGE

Handling: Use only with adequate ventilation. Prevent contact with eyes, skin and

clothing. Do not breathe vapor and mist. Wash thoroughly after handling. Keep container closed. See Section 8 of the SDS for Personal Protective

Equipment.

Storage: Keep in a cool, well ventilated area away from heat, sparks and open flame.

Keep container tightly closed until ready for use.

Shelf Life Statement: Not available.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Aliphatic Urethane Acrylate Oligomer	None	None	None	None
4-(1-oxo-2-propenyl)-morpholine	None	None	None	None
1H-Pyrrole-2,5-dione, 1-phenyl-	None	None	None	None
2-Hydroxyethyl methacrylate	None	None	None	None
Reaction mass of pentamethyl-4- piperidylsebacates	None	None	None	None
diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	None	None	None	None
Glycerol, propoxylated, esters with acrylic acid 1-6.5PO	None	None	None	None
2-Propenoic acid, 2-methyl-, 2-(2-hydroxyethoxy)ethyl ester	None	None	None	None

Engineering controls: Provide adequate local exhaust ventilation to maintain worker exposure below

exposure limits.

Res piratory protection: When w orkplace hazards warrant the use of a respirator, appropriate

respirators must be used, and a program that follow s 29 CFR 1910.134 must be follow ed. Workers likely to be exposed by inhalation to dust or vapors are required to w ear a respirator of a type listed at 40CFR 721.63(a)(5). Each person w ho is reasonably likely to be exposed to this product by inhalation in the w ork area is required to w ear, at a minimum, a NIOSH- approved

respirator with assigned protection factor (APF) of at least 50.

Eye/face protection: Safety goggles or safety glasses with side shields. Full face protection should

be used if the potential for splashing or spraying of product exists. Safety

show ers and eye wash stations should be available.

Skin protection: Use chemical resistant, impermeable clothing including gloves and either an

apron or body suit to prevent skin contact. Cover as much of the exposed skin area as possible with appropriate clothing. Safety 4/4H EV OH/PE laminate gloves, Ansell Edmont Neoprene number 865 gloves, and Solvex Nitrile Rubber number 275 gloves have been tested using ASTM F739 method and approved by EPA to satisfy the consent orders. For more information please

refer to 40 CFR 721.5185.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid Color: Gray Odor: Acrylate Odor threshold: Not available. pH: Not applicable Not available. Vapor pressure: Boiling point/range: Not available. Melting point/range: Not available. Specific gravity: 1 10

Vapor density: Not available.

Flash point: > 93.3 °C (> 199.94 °F)

Flam m able/Explosive limits - lower:

Flam m able/Explosive limits - upper:

Autoignition temperature:

Flam m ability:

Flam m ability:

Not available.

Solubility in water:

Partition coefficient (n-octanol/water):

VOC content:

Viscosity:

Decomposition temperature:

Not available.

Not available.

Not available.

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions of storage and use.

Hazardous reactions: None under normal processing. Polymerization may occur at elevated temperature or in the

presence of incompatible materials.

Hazardous decomposition

products:

IDH number: 2703296

Oxides of carbon. Oxides of nitrogen. Irritating organic vapours.

Incompatible materials: Strong reducing agents. Free radical initiators. Inert gases. Oxygen scavengers. Strong

oxidizing agents. Amines, strong alkalies Reactive metals. Peroxides. Other polymerization

initiators. Strong acids and strong bases. Iron. Rust. Copper. Copper alloys.

Reactivity: Not available.

Conditions to avoid: Extremes of temperature and direct sunlight. Heat, flames, sparks and other sources of

ignition. Store away from incompatible materials. UV light. Avoid contact with water.

11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure: Skin, Inhalation, Eyes, Ingestion

Potential Health Effects/Symptoms

Inhalation: N-Phenylmaleimide is highly toxic by inhalation. May be harmful or fatal if inhaled. May cause

respiratory tract irritation.

Skin contact: Causes skin irritation. May cause allergic skin reaction.

Eye contact: Causes serious eye irritation.

Ingestion: Not expected under normal conditions of use. Harmful if sw allowed.

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects
Aliphatic Urethane Acrylate Oligomer	None	No Data
4-(1-oxo-2-propenyl)-morpholine	None	No Target Organs
1H-Pyrrole-2,5-dione, 1-phenyl-	Inhalation LC50 (Rat, 4 h) = 0.034 mg/l	Irritant
2-Hydroxyethyl methacrylate	Oral LD50 (Rat) = 11.2 g/kg Oral LD50 (Rat) = 5,050 mg/kg	Irritant, Allergen
Reaction mass of pentamethyl-4- piperidylsebacates	None	No Data
diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide	None	No Records
Glycerol, propoxylated, esters with acrylic acid 1-6.5PO	None	Allergen, Irritant
2-Propenoic acid, 2-methyl-, 2-(2-hydroxyethoxy)ethyl ester	None	Allergen, Irritant

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Aliphatic Urethane Acrylate Oligomer	No	No	No
4-(1-oxo-2-propenyl)-morpholine	No	No	No
1H-Pyrrole-2,5-dione, 1-phenyl-	No	No	No
2-Hydroxyethyl methacrylate	No	No	No
Reaction mass of pentamethyl-4- piperidylsebacates	No	No	No
diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide	No	No	No
Glycerol, propoxylated, esters with acrylic acid 1-6.5PO	No	No	No
2-Propenoic acid, 2-methyl-, 2-(2- hydroxyethoxy)ethyl ester	No	No	No

12. ECOLOGICAL INFORMATION

Ecological information: Not available.

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Follow all local, state, federal and provincial regulations for disposal.

14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

Canada Transportation of Dangerous Goods - Ground

Proper shipping name:Not regulatedHazard class or division:NoneIdentification number:NonePacking group:None

IDH number: 2703296 Product name: LOCTITE 3D IND402 A70 High Rebound Grey Page 5 of 6

International Air Transportation (ICAO/IATA)

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (n-Phenylmaleimide)

Hazard class or division: 9
Identification number: UN 3082
Packing group:

Water Transportation (IMO/IMDG)

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (n-

Phenylmaleimide)

9

Hazard class or division:

Identification number:UN 3082Packing group:Ⅲ

Marine pollutant: n-Phenylmaleimide

15. REGULATORY INFORMATION

Canada Regulatory Information

CEPA DSL/NDSL Status: One or more components are not listed on, and are not exempt from listing on either the

Domestic Substances List or the Non-Domestic Substances List.

United States Regulatory Information

TSCA 8 (b) Inventory Status: All components are listed as active or are exempt from listing on the Toxic Substances

Control Act (TSCA) inventory.

16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: First issue.

Prepared by: Product Safety and Regulatory Affairs

Issue date: 10/20/2021

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. How ever, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all w arranties, express or implied, including w arranties of merchantability and fitness for a particular purpose, arising fromsale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on the Canadian Hazardous Products Regulations (WHMIS 2015) and provides information in accordance with Canadian law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.

IDH number: 2703296 Product name: LOCTITE 3D IND402 A70 High Rebound Grey