

# SAFETY DATA SHEET

1. Identification

Important information \*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

Product identifier V1R10Series

Other means of identification

Synonyms HP 3D HR PA12 Powder

**Recommended use** Materials to be processed in HP 3D MJF equipment only.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

HP Canada Co.

5150 Spectrum Way, Floor 6

Mississauga, Ontario, Canada L4W 5G1

**Telephone** 888-206-0291

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

**HP Inc. Customer Care** 

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: sustainability@hp.com

**Emergency Telephone** 

Number

1-760-710-0048

Supplier Not available.

#### 2. Hazard identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word Warning

**Hazard statement** May form combustible dust concentrations in air.

**Precautionary statement** 

Prevention Take precautionary measures against static discharge. Use with adequate ventilation. Avoid

generation or accumulation of dust.

Response If inhaled, remove to fresh air. Get medical attention if symptoms persist. IN CASE OF FIRE, use

water spray or fog, foam, dry chemical or CO2. Collect in a chemical waste container. Use only

vacuum cleaners approved for combustible dust collection.

Storage Not available.

Disposal Not available.

Other hazards May form combustible dust concentrations in air.

Risk of skin burns caused by hot melt.

Material name: V1R10Series SDS CANADA

13842 Version #: 16 Revision date: 20-Sep-2022 Issue date: 15-Mar-2018

This material is considered hazardous under the OSHA Hazard Communication Standard criteria, based on hazard(s) not otherwise classified.

# 3. Composition/information on ingredients

ΝЛ	ivt	ures
IVI	IAL	uici

Chemical name	Common name and synonyms	CAS number	%	
Polyamide		Proprietary	90-100	
Composition comments	The components of this product have been evaluated in accordance with the hazard criteria of the Canada Hazardous Products Regulations (HPR).			
4. First-aid measures				
Inhalation	If dust from the material is inhaled, remove the affected person immediately to fresh air.			
	Move to fresh air in case of accidental inhalation of vapors or decomposition products. If breathing is difficult, give oxygen. Oxygen or artificial respiration if needed. Consult a physician for specific advice.			

**Skin contact**Wash the skin immediately with soap and water. In case of contact with molten product, cool rapidly with water and seek immediate medical attention. Do not attempt to remove molten product from skin because skin will tear easily.

Eye contact Dust: Wash well-open eyes immediately, abundantly and thoroughly with water. Remove particle

remaining under the eyelids. If irritation persists, consult a doctor.

On contact with hot product: Cool eyes rapidly with cold water after contact with molten polymer.

Continue to rinse for at least 15 minutes. Get medical attention immediately.

**Ingestion** If swallowed, do NOT induce vomiting. Get medical attention. Never give anything by mouth to an

unconscious person.

Most important symptoms/effects, acute and

symptoms/effects, acute and delayed

**General information** 

No experiences of acute or chronic damages in humans have been made yet.

Risk of skin burn caused by hot melt. Do not leave the victim unattended.

Remove victim immediately from source of exposure.

Victim to lie down in the recovery position, cover and keep him warm.

## 5. Fire-fighting measures

Suitable extinguishing media Water spray, foam, dry powder or carbon dioxide.

**Unsuitable extinguishing**Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from May be released in case of fire: carbon monoxide, carbon dioxide, nitric oxides, organic products

the chemical of decomposition. Under certain fire conditions, traces of other toxic products may occur.

Special protective equipment and precautions for firefighters (approved or equivalent) and full protective gear.

and precautions for firefighters
Fire fighting

Do not use a solid stream of water. A solid stream of water can cause a dust explosion. Fire fighting equipment should be thoroughly decontaminated after use.

equipment/instructions fighting equipment should be thoroughly decontaminated after use.

General fire hazards

Dust clouds generated during handling and/or storage can form explosive mixtures with air. Check that all equipment is properly grounded and installed to satisfy electrical classification requirements. As with any dry material, pouring this material or allowing it to free-fall or to be

that all equipment is properly grounded and installed to satisfy electrical classification requirements. As with any dry material, pouring this material or allowing it to free-fall or to be conveyed through chutes or pipes can accumulate and generate electrostatic sparks, potentially causing ignition of the material itself, or of any flammable materials which may come into contact with the material or its container.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

In case product dust is released: Dust mask

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal. If a vacuum is used, the motor must be rated as dust explosion-proof. Dispose of in compliance with federal, state, and local regulations.

**Environmental precautions** Prevent further leakage or spillage. Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

### 7. Handling and storage

#### Precautions for safe handling

Avoid contact with skin and eyes Avoid breathing dust. Prevent dust accumulation to minimize explosion hazard. Inside and outside the equipment should be cleaned regularly with an explosion-protected vacuum cleaner to avoid dust accumulation. Do not sweep the dust or or try to remove it with a compressed-air gun. Remove contaminated clothing and wash the skin thoroughly with soap and water after work.

Conditions for safe storage, including any incompatibilities

Store away from moisture and heat to maintain the technical properties of the product. Eliminate sources of ignition. Keep at temperatures between -10 and 40°C (14-104°F).

# 8. Exposure controls/personal protection

#### Occupational exposure limits

<b>ACGIH</b>	ı
--------------	---

Material	Туре	Value	Form
V1R10Series	TWA	10 mg/m3	Inhalable particles (ACGIH)

Comments: Inhalable particles

Biological limit values No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** Exposure Limits

US ACGIH as amended (03/2016) (TWA/TLV): 3 mg/m3 (Respirable particles)

US CA OEL (TWA/PEL): 10 mg/m3 (Total dust)
US CA OEL (TWA/PEL): 5 mg/m3 (Respirable fraction)

US OSHA as amended (03/2016) (TWA:Z-3): 15 mg/m3 (Total dust)

US OSHA as amended (03/2016) (TWA:Z-3): 5 mg/m3 (Respirable fraction)

US OSHA as amended (03/2016) (TWA:Z-3): 50 millions of particles per cubic foot of air (Total

dust)

US OSHA as amended (03/2016) (TWA:Z-3): 15 millions of particles per cubic foot of air

(Respirable fraction)

# Appropriate engineering controls

HP recommends the use of HP accessories for unpacking 3D parts and refilling the build chamber. If other methods are used, read the following: Dust clouds generated during handling and/or storage can form explosive mixtures with air. Dust explosion characteristics vary with the particle size, particle shape, moisture content, contaminants, and other variables. Check that all equipment is properly grounded and installed to satisfy electrical classification requirements. As with any dry material, pouring this material or allowing it to fall freely or be conveyed through chutes or pipes can accumulate and generate electrostatic sparks, potentially causing ignition of the material itself, or of any flammable materials which may come into contact with the material or its container.

Investigate engineering techniques to reduce exposures below airborne exposure limits or to otherwise reduce exposures. Provide ventilation if necessary to minimize exposures or to control exposure levels to below airborne exposure limits. If practical, use local mechanical exhaust ventilation at sources of air contamination such as open process equipment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Consult ACGIH ventilation manual, NFPA Standard 91 and NFPA Standard 654 for design of exhaust system and safe handling.

# Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields.

Skin protection

**Hand protection** Recommended gloves: Nitrile 6 mil minimum thickness. Protective heat-insulating gloves are to be

used during thermal processing. Any areas of skin covered with dust must be washed immediately with soap and water as the powder draws out natural moisture from the skin. Use barrier cream

regularly.

Other Processing of this product releases vapors or fumes which may cause skin irritation. It is a good

industrial hygiene practice to minimize skin contact. Wash thoroughly after handling.

Respiratory protection Avoid breathing dust. Avoid breathing processing fumes or vapors. Where airborne exposure is

likely or airborne exposure limits are exceeded, use NIOSH approved respiratory protection equipment appropriate to the material and/or its components and substances released during

processing.

**Thermal hazards** In thermal processing: Risk of skin burns. Wear appropriate thermal protective clothing, when

necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

Appearance Powder.

Solid.

Physical stateNot available.FormPowder.ColorWhite.

Odor Not available.
Odor threshold Not available.
pH Not available.

Melting point/freezing point 363.2 - 368.6 °F (184 - 187 °C)

Initial boiling point and boiling

range

Not available.

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Density 1.00 g/cm³

Solubility(ies)

Solubility (water) insoluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature> 752 °F (> 400 °C)Decomposition temperature> 662 °F (> 350 °C)ViscosityNot available.

Other information

Density 1.00 g/cm<sup>3</sup>

**Explosive properties** Dusts might form explosive mixtures with air.

Powder explosivity data:

Minimum Ignition Energy (MIE) "dust cloud" w/ Inductance >10mJ.

Layer Ignition Temperature (LIT) "dust layer" >400degC. Minimum Ignition Temperature (MIT) "dust cloud" >360degC.

Auto Ignition Temperature (AIT) >400degC.

Flammability (flash back) This product is not flammable.

Oxidizing properties Not oxidizing Specific gravity 0.42 g/cm3

#### 10. Stability and reactivity

**Reactivity** Under normal conditions: stable.

**Chemical stability**The product is stable under normal handling and storage conditions.

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid Take measures to mitigate material spillage and avoid potential ignition sources such as ESD

(ElectroStatic Discharges), flames, and sparks. Do not smoke nearby. Avoid wet/humid

environment. Recommended working humidity 50-70%. Avoid dust formation.

Incompatible materials

Oxidizing materials, acids, strong bases, water and high humidity.

Hazardous decomposition

products

Decomposition products on thermal decomposition, carbon monoxide, carbon dioxide, Nitrogen oxides (NOx), organic products of decomposition.

# 11. Toxicological information

### Information on likely routes of exposure

Inhalation At high temperature, products of thermal decomposition can be irritating to respiratory system.

May be considered as comparable to a similar product for which experimental results are: Non Skin contact

irritating to skin.

May be considered as comparable to a similar product for which experimental results are: Not Eye contact

irritating to the eyes.

Ingestion May be considered as comparable to a similar product for which experimental results are: Slightly

harmful by ingestion.

Symptoms related to the physical, chemical and toxicological characteristics Not available.

## Information on toxicological effects

**Acute toxicity** Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/eye

irritation

#### Respiratory or skin sensitization

Based on available data, the classification criteria are not met. Respiratory sensitization Skin sensitization Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Carcinogenicity Reproductive toxicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Specific target organ toxicity -

single exposure

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met. **Further information** Complete toxicity data are not available for this specific formulation

# 12. Ecological information

**Ecotoxicity** No ecotoxicity data noted for the ingredient(s).

Persistence and degradability Not available. Bioaccumulative potential Not available. Not available. Mobility in soil Other adverse effects Not available.

#### 13. Disposal considerations

Do not allow this material to drain into sewers/water supplies. **Disposal instructions** 

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Waste from residues / unused

products

Not available.

Not available. Contaminated packaging

### 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

#### **ADR**

Not regulated as dangerous goods.

**Further information** 

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

# 15. Regulatory information

#### Canadian regulations

#### **Controlled Drugs and Substances Act**

Not regulated.

**Export Control List (CEPA 1999, Schedule 3)** 

Not listed.

**Greenhouse Gases** 

Not listed.

#### **Precursor Control Regulations**

Not regulated.

### International regulations

HP complies with chemical regulatory requirements in chemical substance notification laws, where applicable. All chemical substances are notified or exempt from notification or listed in the inventory as existing substances in the following countries: US (TSCA), Canada (DSL/NDSL), Australia (AICIS), Japan (ISHL, ENCS), Philippines (PICCS), New Zealand (NZIoC), Russia and China (IECSC). For guidance on importation and/or additional requirements for registration schemes such as EAEU, EU, South Korea, Turkey, UK, India and Taiwan, please contact the Sustainability and Compliance Center (sustainability@hp.com).

#### **Stockholm Convention**

Not applicable.

#### **Rotterdam Convention**

Not applicable.

#### **Kyoto protocol**

Not applicable.

#### **Montreal Protocol**

Not applicable.

#### **Basel Convention**

Not applicable.

#### 16. Other information

Issue date15-Mar-2018Revision date20-Sep-2022

Version # 16

Other information This SDS was prepared in accordance with Canada Controlled Product Regulations.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

**Revision information** 

1. Product and Company Identification: Alternate Trade Names

## **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds