

Safety data sheet

Page: 1/11

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 17.02.2022 Version: 5.0

Product: ULTRASINT® TPU01

(ID no. 30730454/SDS_GEN_00/EN)

Date of print 16.11.2022

1. Identification

Product identifier

ULTRASINT® TPU01

Recommended use: Polymer, for use with HP MultiJet Fusion™ process

Details of the supplier of the safety data sheet

Company: BASF SE 67056 Ludwigshafen GERMANY

Telephone: +49 621 60-0

Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

No need for classification according to GHS criteria for this product.

Label elements

Globally Harmonized System (GHS)

The product does not require a hazard warning label in accordance with GHS criteria.

Date / Revised: 17.02.2022 Version: 5.0

Product: ULTRASINT® TPU01

(ID no. 30730454/SDS_GEN_00/EN)

Date of print 16.11.2022

Other hazards

According to UN GHS criteria

Dust can form an explosive mixture with air.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

Polymer based on: polyurethane, stabilizing agents, additives

Hazardous ingredients (GHS) According to UN GHS criteria

No particular hazards known.

4. First-Aid Measures

Description of first aid measures

Remove contaminated clothing.

If inhaled:

Remove the affected individual into fresh air and keep the person calm.

On skin contact:

Burns caused by molten material require hospital treatment.

On contact with eyes:

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. If irritation develops, seek medical attention.

On ingestion:

Immediately rinse mouth and then drink 200 - 300 ml water, do not induce vomiting, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

Hazards: No hazards anticipated.

Indication of any immediate medical attention and special treatment needed

Date / Revised: 17.02.2022 Version: 5.0

Product: ULTRASINT® TPU01

(ID no. 30730454/SDS_GEN_00/EN)

Date of print 16.11.2022

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

water spray, dry powder, carbon dioxide, foam

Unsuitable extinguishing media for safety reasons: water jet

Special hazards arising from the substance or mixture

Carbon monoxide, Carbon dioxide, Hydrogen cyanide, nitrogen oxides, isocyanate The substances/groups of substances mentioned can be released in case of fire. Dust explosion hazard.

Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Dust can form an explosive mixture with air.

6. Accidental Release Measures

High risk of slipping due to leakage/spillage of product. Dust can form an explosive mixture with air.

Personal precautions, protective equipment and emergency procedures

No special precautions necessary.

Environmental precautions

No special precautions necessary.

Methods and material for containment and cleaning up

For small amounts: Sweep/shovel up. For large amounts: Sweep/shovel up.

Avoid raising dust. Use spark-proof tools and explosion-proof equipment.

7. Handling and Storage

Precautions for safe handling

Provide suitable exhaust ventilation at the drying process and in the area surrounding the melt outlet of processing machines.

Protection against fire and explosion:

No special precautions necessary. Avoid whirling up the material/product because of the danger of dust explosion.

Conditions for safe storage, including any incompatibilities

Date / Revised: 17.02.2022 Version: 5.0

Product: ULTRASINT® TPU01

(ID no. 30730454/SDS_GEN_00/EN)

Date of print 16.11.2022

Segregate from foods and animal feeds.

Suitable materials for containers: Paper/Fibreboard, High density polyethylene (HDPE), Low density polyethylene (LDPE)

Further information on storage conditions: Keep container tightly closed. Protect against moisture.

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

No occupational exposure limits known.

Exposure controls

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Wearing of closed work clothing is recommended. Avoid inhalation of dusts. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form: powder Colour: white Odour: odourless

Odour threshold:

not applicable

Date / Revised: 17.02.2022 Version: 5.0

Product: ULTRASINT® TPU01

(ID no. 30730454/SDS_GEN_00/EN)

Date of print 16.11.2022

pH value:

not applicable

softening temperature:

> 120 °C

boiling temperature:

not applicable

Flash point:

not applicable, the product is a solid

Evaporation rate:

Value can be approximated from Henry's Law Constant or vapor

pressure.

Flammability: Not a flammable solid according to

(UN Test N.1 (ready combustible solids))

UN transport regulations division 4.1

and GHS chapter 2.7.

Lower explosion limit:

For solids not relevant for classification and labelling.

Upper explosion limit:

For solids not relevant for classification and labelling.

Ignition temperature:

> 400 °C

Vapour pressure:

Density:

not applicable approx. 1,2 g/cm3

(20 °C)

approx. 1,1 - 1,2 Relative density:

(20 °C)

Relative vapour density (air):

not applicable

Solubility in water: insoluble

Partitioning coefficient n-octanol/water (log Kow):

not applicable

Self ignition: Temperature: > 248 °C

not self-igniting

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

> 230 °C

Thermal decomposition above the indicated temperature is possible. Prolonged thermal loading can result in products of degradation being

given off.

Viscosity, dynamic:

not applicable, the product is a solid

Explosion hazard: Product is not explosive, however a

dust explosion could result from an

air / dust mixture.

Fire promoting properties: not fire-propagating

Other information

Self heating ability: It is not a substance capable of

spontaneous heating.

Date / Revised: 17.02.2022 Version: 5.0

Product: ULTRASINT® TPU01

(ID no. 30730454/SDS_GEN_00/EN)

Date of print 16.11.2022

Minimum ignition energy: < 30 mJ

(DIN EN 13821)

(1.000 hPa, 20 - 24 °C)

Inductivity: 1 mH

Grain size distribution: 0,2 - 350 μm The product is capable of dust

explosion.

Bulk density: 400 - 600 kg/m3

(20 °C)

Grain size distribution 77,27 µm

(D50, Volumetric Distribution, other

(measured))

particles 77,27 µm

particles 47,07 µm

165,9 µm (D90, Volumetric Distribution, other

(measured))

particles 165,9 µm particles 81,55 µm

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

Dust explosion hazard.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid dust formation. Avoid impact, friction and electrostatic loading.

Incompatible materials

Substances to avoid:

No substances known that should be avoided.

Hazardous decomposition products

Possible thermal decomposition products:

Carbon monoxide, Carbon dioxide, Hydrogen cyanide

isocyanates, nitrogen oxides

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Date / Revised: 17.02.2022 Version: 5.0

Product: ULTRASINT® TPU01

(ID no. 30730454/SDS_GEN_00/EN)

Date of print 16.11.2022

Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. Virtually nontoxic after a single ingestion.

Irritation

Assessment of irritating effects:

Not irritating to the eyes. Not irritating to the skin. The product has not been tested. The statement has been derived from the properties of the individual components.

Respiratory/Skin sensitization

Assessment of sensitization:

The chemical structure does not suggest a sensitizing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Germ cell mutagenicity

Assessment of mutagenicity:

The chemical structure does not suggest a specific alert for such an effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Carcinogenicity

Assessment of carcinogenicity:

The chemical structure does not suggest a specific alert for such an effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Reproductive toxicity

Assessment of reproduction toxicity:

The chemical structure does not suggest a specific alert for such an effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Developmental toxicity

Assessment of teratogenicity:

The chemical structure does not suggest a specific alert for such an effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Date / Revised: 17.02.2022 Version: 5.0

Product: ULTRASINT® TPU01

(ID no. 30730454/SDS_GEN_00/EN)

Date of print 16.11.2022

Repeated dermal uptake of the substance did not cause substance-related effects. Repeated inhalative uptake of the substance did not cause substance-related effects. Repeated oral uptake of the substance did not cause substance-related effects. The product has not been tested. The statement has been derived from the properties of the individual components.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

Persistence and degradability

Assessment biodegradation and elimination (H2O):

Poorly biodegradable. The product has not been tested. The statement has been derived from the properties of the individual components.

Elimination information:

Poorly biodegradable.

Bioaccumulative potential

Assessment bioaccumulation potential:

Does not significantly accumulate in organisms.

The product has not been tested. The statement has been derived from the properties of the individual components.

Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: Adsorption to solid soil phase is not expected. The product has not been tested. The statement has been derived from the properties of the individual components.

Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria.

Other adverse effects

The product does not contain substances that are listed in Annex I of Regulation (EC) 2037/2000 on substances that deplete the ozone layer.

Date / Revised: 17.02.2022 Version: 5.0

Product: ULTRASINT® TPU01

(ID no. 30730454/SDS_GEN_00/EN)

Date of print 16.11.2022

Additional information

Adsorbable organically-bound halogen (AOX): This product contains no organically-bound halogen.

13. Disposal Considerations

Waste treatment methods

Observe national and local legal requirements. Do not discharge into drains/surface waters/groundwater.

Waste key:

07 02 13 waste plastic

Contaminated packaging:

Packs must be completely emptied.

Completely emptied packagings can be given for recycling.

14. Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Packing group: Not applicable Environmental hazards: Not applicable

None known Special precautions for

user

RID

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards:

Special precautions for

user

Not applicable None known

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable UN proper shipping name: Not applicable

Date / Revised: 17.02.2022 Version: 5.0

Product: ULTRASINT® TPU01

(ID no. 30730454/SDS_GEN_00/EN)

Date of print 16.11.2022

Transport hazard class(es): Not applicable Packing group: Not applicable Not applicable Environmental hazards: Not applicable Special precautions for None known

user:

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable

user

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

If it is intended to use materials for the manufacture of consumer goods (e. g. products which will come into contact with foodstuffs or with the skin, toys) or medical products, national and international regulations have to be observed. Where no regulations exist, consumer goods or medical products must at least comply with European legislation. We recommend contacting our Sales and our Product Safety departments.

Date / Revised: 17.02.2022 Version: 5.0

Product: ULTRASINT® TPU01

(ID no. 30730454/SDS_GEN_00/EN)

Date of print 16.11.2022

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.