

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-05-05 Page 1 of 20

#### **AUX-400-RINSE**

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Name: AUX-400-RINSF

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses:** Not determined or not applicable. **Uses advised against:** Not determined or not applicable.

**Reasons why uses advised against:** Not determined or not applicable.

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: Supplier: United States France

PostProcess Technologies, Inc. PostProcess Technologies International

2495 Main Street 49 Impasse du Hameau

Suite 615 Mougins, Provence-Alpes-Côte d'Azur 06250

Buffalo, NY 14214 +33 (0)4 22 32 68 13 1-866-430-5354

1.4 Emergency telephone number:

**United States** 

**PERS** 

1-800-633-8253 (US/Canada; 24 hours) 1-801-629-0667 (International; 24 hours)

Customer#: 11416

### SECTION 2: Hazard(s) identification

### 2.1 Classification of the substance or mixture:

### Classification according to Regulation (EC) No. 1272/2008 (CLP):

Flammable liquids, category 3 Serious eye damage, category 1

Specific target organ toxicity - single exposure, category 3, narcotic effects

### Hazard-determining components of labeling:

Propan-2-ol

2-methylpropan-1-ol

Additional Information: None

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP) Hazard pictograms:







Signal Word: Danger Hazard statements:

H226 Flammable liquid and vapour H318 Causes serious eye damage H336 May cause drowsiness or dizziness

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-05-05 Page 2 of 20

### **AUX-400-RINSE**

### Precautionary statements:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 Keep container tightly closed

P261 Avoid breathing vapours.

P271 Use only outdoors or in a well-ventilated area

P280 Wear protective gloves, protective clothing and eye protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P312 Call a doctor if you feel unwell.

P370+P378 In case of fire: Use water spray, carbon dioxide, dry chemical or foam to extinguish.

P403+P233 Store in a well-ventilated place. Keep container tightly closed

P501 Dispose of contents and container in accordance with local, regional, national, and international regulations.

2.3 Other hazards: None known

### SECTION 3: Composition/information on ingredients

**3.1** Substance: Not applicable.

#### 3.2 Mixture:

Identification	EU REACH Registration No.	Name	Classification according to Regulation (EC) No. 1272/2008 (CLP)	Weight %
CAS number: 67-63-0 EC number: 200-661-7	-	Propan-2-ol	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3 (CNS); H336	0.1-5
CAS number: 78-83-1 EC number: 201-148-0	-	2-methylpropan-1-ol	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3 (RI); H335 STOT SE 3 (CNS); H336	0.1-5
CAS number: 107-98-2 EC number: 203-539-1	-	Propylene Glycol Monomethyl Ether	Flam. Liq. 3; H226 STOT SE 3 (CNS); H336	0.1-70
CAS number: 108-65-6 EC number: 203-603-9	-	Propylene Glycol Propyl Ether Acetate	Flam. Liq. 3; H226 STOT SE 3 (CNS); H336	0.1-15
CAS number: 7732-18-5 EC number: 231-791-2	-	Water	Not classified;	10-50

Additional information: None

Full Text of H and EUH statements: See section 16

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-05-05 Page 3 of 20

**AUX-400-RINSE** 

#### SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General notes:

Show this Safety Data Sheet to the doctor in attendance.

#### Following inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

#### Following skin contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

### Following eye contact:

Rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

#### Following ingestion:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

### Self-Protection of the first aider:

Not determined or not available.

### 4.2 Most important symptoms and effects, both acute and delayed

### Acute symptoms and effects:

Product is flammable. Exposure to sources of ignition may cause physical injury.

Inhalation may have adverse effects on the central nervous system. Symptoms may include drowsiness, dizziness, headache, nausea and lowering of consciousness. Acute overexposure via inhalation may result in respiratory distress, confusion and unconsciousness.

### Delayed symptoms and effects:

Effects are dependent on exposure (dose, concentration, contact time).

# 4.3 Indication of any immediate medical attention and special treatment needed Specific treatment:

Overexposure via inhalation requires urgent medical treatment.

#### Notes for the doctor:

Treat symptomatically.

### SECTION 5: Firefighting measures

### 5.1 Extinguishing media

### Suitable extinguishing media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

### Unsuitable extinguishing media:

Do not use water jet.

#### 5.2 Special hazards arising from the substance or mixture:

Flammable liquid. Will be easily ignitable by heat, sparks or flames. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapor explosion hazard indoors, outdoors or in sewers. Runoff to sewer may create fire or explosion hazard. Containers may explode when heated. Inhalation or contact with material may irritate or burn skin and

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-05-05 Page 4 of 20

### **AUX-400-RINSE**

eyes. Fire may produce irritating, corrosive and/or toxic gases. Vapors may cause dizziness or suffocation.

#### 5.3 Advice for firefighters

#### Personal protection equipment:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

### Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

#### 6.2 Environmental precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

### 6.3 Methods and material for containment and cleaning up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. A vapor-suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

#### 6.4 Reference to other sections:

For personal protective equipment see Section 8. For disposal see Section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use explosion-proof electrical, ventilating and lighting equipment. Take action to prevent static discharges. Handle containers with caution. Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

### 7.2 Conditions for safe storage, including any incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

#### 7.3 Specific end use(s):

Refer to Section 1 (Recommended Use).

### SECTION 8: Exposure controls/personal protection

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-05-05 Page 5 of 20

**AUX-400-RINSE** 





### 8.1 Control parameters

Only those substances with limit values have been included below.

### Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
Bulgaria	Propan-2-ol	67-63-0	8-Hour TWA: 980 mg/m <sup>3</sup>
	Propan-2-ol	67-63-0	15-Minute STEL: 1225 mg/m <sup>3</sup>
	Propan-2-ol	67-63-0	15-Minute STEL: 1225 mg/m <sup>3</sup>
	Propan-2-ol	67-63-0	TWA: 980 mg/m <sup>3</sup>
Croatia	Propan-2-ol	67-63-0	8-Hour TWA: 999 mg/m <sup>3</sup> (400 ppm)
	Propan-2-ol	67-63-0	15-Minute STEL: 1250 mg/m³ (500 ppm)
	Propan-2-ol	67-63-0	15-Minute STEL: 1250 mg/m³ (500 ppm)
	Propan-2-ol	67-63-0	8-Hour TWA: 999 mg/m <sup>3</sup> (400 ppm)
	2-methylpropan-1-ol	78-83-1	15-Minute STEL: 231 mg/m³ (75 ppm)
	2-methylpropan-1-ol	78-83-1	8-Hour TWA: 154 mg/m³ (50 ppm)
Cyprus	Propan-2-ol	67-63-0	8-Hour TWA: 980 mg/m³ (400 ppm)
	Propan-2-ol	67-63-0	TWA: 980 mg/m³ (400 ppm)
	2-methylpropan-1-ol	78-83-1	8-Hour TWA: 150 mg/m³ (50 ppm)
Austria	Propan-2-ol	67-63-0	8-Hour TWA: 500 mg/m <sup>3</sup> (200 ppm)
	Propan-2-ol	67-63-0	STEL: 2000 mg/m³ (800 ppm [2 x 15 min])
	Propan-2-ol	67-63-0	MAK STEL: 2000 mg/m³ (800 ppm)
	Propan-2-ol	67-63-0	MAK TWA: 500 mg/m³ (200 ppm)
	2-methylpropan-1-ol	78-83-1	15-Minute STEL: 600 mg/m³ (200 ppm)
	2-methylpropan-1-ol	78-83-1	MAK TWA: 150 mg/m³ (50 ppm)
Belgium	Propan-2-ol	67-63-0	8-Hour TWA-PEL: 500 mg/m <sup>3</sup> (200 ppm)
	Propan-2-ol	67-63-0	15-Minute STEL: 1000 mg/m³ (400 ppm)
	Propan-2-ol	67-63-0	15-Minute STEL: 1000 mg/m³ (400 ppm)
	Propan-2-ol	67-63-0	TWA: 500 mg/m³ (200 ppm)
	2-methylpropan-1-ol	78-83-1	8-Hour TWA: 154 mg/m³ (50 ppm)

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-05-05 Page 6 of 20

AUX-400-RINSE

Country (Legal Basis)	Substance	Identifier	Permissible concentration
Czech Republic	Propan-2-ol	67-63-0	8-Hour TWA: 500 mg/m <sup>3</sup>
	Propan-2-ol	67-63-0	Ceiling Limit: 1000 mg/m <sup>3</sup>
	Propan-2-ol	67-63-0	Ceiling Limit: 1000 mg/m <sup>3</sup>
	Propan-2-ol	67-63-0	TWA: 500 mg/m <sup>3</sup>
	2-methylpropan-1-ol	78-83-1	Ceiling Limit: 600 mg/m <sup>3</sup>
	2-methylpropan-1-ol	78-83-1	8-Hour TWA: 300 mg/m <sup>3</sup>
Denmark	Propan-2-ol	67-63-0	8-Hour TWA: 490 mg/m <sup>3</sup> (200 ppm)
	Propan-2-ol	67-63-0	Threshold Limit Value (TLV): 200 ppm
	Propan-2-ol	67-63-0	Threshold Limit Value (TLV): 490 mg/m³ (200 ppm)
	2-methylpropan-1-ol	78-83-1	Ceiling Limit: 150 mg/m³ (50 ppm)
Estonia	Propan-2-ol	67-63-0	8-Hour TWA: 350 mg/m³ (150 ppm)
	Propan-2-ol	67-63-0	15-Minute STEL: 600 mg/m³ (250 ppm)
	Propan-2-ol	67-63-0	STEL: 600 mg/m <sup>3</sup> (250 ppm)
	Propan-2-ol	67-63-0	TWA: 350 mg/m <sup>3</sup> (150 ppm)
	2-methylpropan-1-ol	78-83-1	8-Hour TWA: 150 mg/m <sup>3</sup> (50 ppm)
Finland	Propan-2-ol	67-63-0	8-Hour TWA: 500 mg/m <sup>3</sup> (200 ppm)
	Propan-2-ol	67-63-0	STEL: 620 mg/m³ (250 ppm)
	Propan-2-ol	67-63-0	STEL: 620 mg/m³ (250 ppm)
	Propan-2-ol	67-63-0	TWA: 500 mg/m <sup>3</sup> (200 ppm)
	2-methylpropan-1-ol	78-83-1	15-Minute STEL: 230 mg/m³ (75 ppm)
	2-methylpropan-1-ol	78-83-1	8-Hour TWA: 150 mg/m³ (50 ppm)
France	Propan-2-ol	67-63-0	15-Minute STEL: 980 mg/m³ (400 ppm)
	Propan-2-ol	67-63-0	STEL: 980 mg/m³ (400 ppm; [Indicative])
	2-methylpropan-1-ol	78-83-1	TWA: 150 mg/m³ (50 ppm; [Indicative])
Germany (TRGS 900)	Propan-2-ol	67-63-0	15-Minute STEL: 1000 mg/m³ (400 ppm)
	Propan-2-ol	67-63-0	8-Hour TWA: 500 mg/m <sup>3</sup> (200 ppm)
	Propan-2-ol	67-63-0	Limit Value: 500 mg/m³ (200 ppm)
	2-methylpropan-1-ol	78-83-1	Limit Value: 310 mg/m³ (100 ppm)
Greece	Propan-2-ol	67-63-0	8-Hour TWA: 980 mg/m <sup>3</sup> (400 ppm)
	Propan-2-ol	67-63-0	15-Minute STEL: 1225 mg/m³ (500 ppm)
	Propan-2-ol	67-63-0	15-Minute STEL: 1225 mg/m³ (500 ppm)

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-05-05 Page 7 of 20

AUX-400-RINSE

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	Propan-2-ol	67-63-0	TWA: 980 mg/m³ (400 ppm)
	2-methylpropan-1-ol	78-83-1	15-Minute STEL: 300 mg/m³ (100 ppm)
	2-methylpropan-1-ol	78-83-1	8-Hour TWA: 300 mg/m <sup>3</sup> (100 ppm)
Hungary	Propan-2-ol	67-63-0	8-Hour TWA: 500 mg/m <sup>3</sup>
	Propan-2-ol	67-63-0	15-Minute STEL: 1000 mg/m <sup>3</sup>
	Propan-2-ol	67-63-0	60-Minute STEL: 2000 mg/m <sup>3</sup>
	Propan-2-ol	67-63-0	TWA: 500 mg/m <sup>3</sup>
Ireland	Propan-2-ol	67-63-0	8-Hour TWA: 200 ppm
	Propan-2-ol	67-63-0	15-Minute STEL: 400 ppm
	Propan-2-ol	67-63-0	15-Minute STEL: 400 ppm
	Propan-2-ol	67-63-0	TWA: 200 ppm
	2-methylpropan-1-ol	78-83-1	15-Minute STEL: 225 mg/m³ (75 ppm)
	2-methylpropan-1-ol	78-83-1	TWA: 150 mg/m³ (50 ppm)
Italy	Propan-2-ol	67-63-0	8-Hour TWA: 200 ppm
	Propan-2-ol	67-63-0	15-Minute STEL: 400 ppm
	Propan-2-ol	67-63-0	STEL: 400 ppm
	Propan-2-ol	67-63-0	TWA: 200 ppm
	2-methylpropan-1-ol	78-83-1	8-Hour TWA: 50 ppm
Latvia	Propan-2-ol	67-63-0	8-Hour TWA: 350 mg/m <sup>3</sup>
	Propan-2-ol	67-63-0	15-Minute STEL: 600 mg/m <sup>3</sup>
	Propan-2-ol	67-63-0	15-Minute STEL: 600 mg/m <sup>3</sup>
	Propan-2-ol	67-63-0	TWA: 350 mg/m <sup>3</sup>
	2-methylpropan-1-ol	78-83-1	8-Hour TWA: 10 mg/m <sup>3</sup>
Lithuania	Propan-2-ol	67-63-0	8-Hour TWA: 350 mg/m <sup>3</sup> (150 ppm)
	Propan-2-ol	67-63-0	15-Minute STEL: 600 mg/m³ (250 ppm)
	Propan-2-ol	67-63-0	15-Minute STEL: 600 mg/m³ (250 ppm)
	Propan-2-ol	67-63-0	TWA: 350 mg/m³ (150 ppm)
	2-methylpropan-1-ol	78-83-1	8-Hour TWA: 10 mg/m <sup>3</sup>
Poland	Propan-2-ol	67-63-0	8-Hour TWA: 900 mg/m <sup>3</sup>
	Propan-2-ol	67-63-0	15-Minute STEL: 1200 mg/m <sup>3</sup>
	Propan-2-ol	67-63-0	STEL: 1200 mg/m <sup>3</sup>
	Propan-2-ol	67-63-0	TWA: 900 mg/m <sup>3</sup>
	2-methylpropan-1-ol	78-83-1	15-Minute STEL: 200 mg/m <sup>3</sup>
	2-methylpropan-1-ol	78-83-1	8-Hour TWA: 100 mg/m <sup>3</sup>
Romania	Propan-2-ol	67-63-0	8-Hour TWA: 200 mg/m³ (81 ppm)
	Propan-2-ol	67-63-0	15-Minute STEL: 500 mg/m <sup>3</sup> (203 ppm)
	Propan-2-ol	67-63-0	15-Minute STEL: 500 mg/m³ (203 ppm)
	Propan-2-ol	67-63-0	TWA: 200 mg/m³ (81 ppm)

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-05-05 Page 8 of 20

AUX-400-RINSE

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	2-methylpropan-1-ol	78-83-1	15-Minute STEL: 200 mg/m³ (66 ppm)
	2-methylpropan-1-ol	78-83-1	8-Hour TWA: 100 mg/m³ (33 ppm)
Slovakia	Propan-2-ol		8-Hour TWA: 500 mg/m <sup>3</sup> (200 ppm)
	Propan-2-ol	67-63-0	15-Minute STEL: 1000 mg/m³ (400 ppm)
	Propan-2-ol	67-63-0	STEL: 1000 mg/m <sup>3</sup> (400 ppm)
	Propan-2-ol	67-63-0	TWA: 500 mg/m <sup>3</sup> (200 ppm)
	2-methylpropan-1-ol	78-83-1	8-Hour TWA: 310 mg/m <sup>3</sup> (100 ppm)
Slovenia	Propan-2-ol	67-63-0	8-Hour TWA: 500 mg/m <sup>3</sup> (200 ppm)
	Propan-2-ol	67-63-0	15-Minute STEL: 1000 mg/m³ (400 ppm)
	2-methylpropan-1-ol	78-83-1	8-Hour TWA: 310 mg/m <sup>3</sup> (100 ppm)
	2-methylpropan-1-ol	78-83-1	15-Minute STEL: 310 mg/m³ (100 ppm)
Portugal	Propan-2-ol	67-63-0	8-Hour TWA: 200 ppm
	Propan-2-ol	67-63-0	STEL: 400 ppm
	Propan-2-ol	67-63-0	STEL: 400 ppm
	Propan-2-ol	67-63-0	TWA: 200 ppm
	2-methylpropan-1-ol	78-83-1	8-Hour TWA: 50 ppm
United Kingdom	Propan-2-ol	67-63-0	8-Hour TWA: 999 mg/m³ (400 ppm)
	Propan-2-ol	67-63-0	15-Minute STEL: 1250 mg/m³ (500 ppm)
	Propan-2-ol	67-63-0	STEL: 1250 mg/m³ (500 ppm)
	Propan-2-ol	67-63-0	TWA: 999 mg/m³ (400 ppm)
	2-methylpropan-1-ol	78-83-1	15-Minute STEL: 231 mg/m³ (75 ppm)
	2-methylpropan-1-ol	78-83-1	8-Hour TWA: 154 mg/m³ (50 ppm)
Germany (MAK)	Propan-2-ol	67-63-0	8-Hour TWA: 500 mg/m <sup>3</sup> (200 ppm)
	Propan-2-ol	67-63-0	15-Minute STEL: 1000 mg/m³ (400 ppm)
	Propan-2-ol	67-63-0	8-Hour TWA: 500 mg/m <sup>3</sup> (200 ppm)
	2-methylpropan-1-ol	78-83-1	8-Hour TWA: 310 mg/m <sup>3</sup> (100 ppm)
Spain	Propan-2-ol	67-63-0	8-Hour TWA: 500 mg/m <sup>3</sup> (200 ppm)
	Propan-2-ol	67-63-0	15-Minute STEL: 1000 mg/m³ (400 ppm)
	Propan-2-ol	67-63-0	STEL: 1000 mg/m³ (400 ppm)
	Propan-2-ol	67-63-0	TWA: 500 mg/m³ (200 ppm)
	2-methylpropan-1-ol	78-83-1	8-Hour TWA: 154 mg/m³ (50 ppm)

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-05-05 Page 9 of 20

### **AUX-400-RINSE**

Country (Legal Basis)	Substance	Identifier	Permissible concentration
Sweden	Propan-2-ol	67-63-0	8-Hour TWA: 350 mg/m <sup>3</sup> (150 ppm)
	Propan-2-ol	67-63-0	15-Minute STEL: 600 mg/m³ (250 ppm)
	Propan-2-ol	67-63-0	TWA: 350 mg/m³ (150 ppm)
	Propan-2-ol	67-63-0	STEL: 600 mg/m³ (250 ppm)
	2-methylpropan-1-ol	78-83-1	Level Limit Value: 150 mg/m³ (50 ppm)
	2-methylpropan-1-ol	78-83-1	15-Minute STEL: 250 mg/m³ (75 ppm)

### **Biological limit values:**

Country (Legal Basis)	Substance	Identifier	Determinant	Specimen	Sampling time	Permissible limits
Croatia	Propan-2-ol	67-63-0	Acetone	Blood	End of shift	0.86 umol/L; 50 mgL
	Propan-2-ol	67-63-0	Acetone	Urine	End of shift.	50 mg/L
	Propan-2-ol	67-63-0	Acetone	Blood	End of shift.	50 mg/L
Hungary	Propan-2-ol	67-63-0	Acetone	Urine	End of shift	25 mg/L; 430 μmol/lL
Romania	Propan-2-ol	67-63-0	Acetone	Urine	End of shift	50 mg/L
	Propan-2-ol	67-63-0	Acetone	Urine	End of shift.	50 mg/L
Slovenia	Propan-2-ol	67-63-0	Acetone	Blood	End of shift	25 mg/L [BAT]
	Propan-2-ol	67-63-0	Acetone	Urine	End of shift	25 mg/L
	Propan-2-ol	67-63-0	Acetone	Urine	End of shift.	50 mg/L
	Propan-2-ol	67-63-0	Acetone	Blood	End of shift.	50 mg/L
Germany (TRGS 903)	Propan-2-ol	67-63-0	Acetone	Urine	End of shift	25 mg/L
	Propan-2-ol	67-63-0	Acetone	Blood	End of shift	25 mg/L
	Propan-2-ol	67-63-0	Aceton	Blood	End of shift.	25 mg/L
	Propan-2-ol	67-63-0	Aceton	Urine	End of shift.	25 mg/L
Italy	Propan-2-ol	67-63-0	Acetone	Urine	EOS/EOW	50 mg/L
	Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work week.	40 mg/L
Spain	Propan-2-ol	67-63-0	Acetone	Urine	EOW	40 mg/L
	Propan-2-ol	67-63-0	Acetona	Urine	End of work week.	40 mg/L
Portugal	Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work week.	40 mg/L

Derived No Effect Level (DNEL): Ingredient Name: Propan-2-ol

**CAS** #: 67-63-0

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-05-05 Page 10 of 20

### **AUX-400-RINSE**

Acute - Oral	Not determined or not applicable.
Acute - Inhalation	1000 mg/m³
Acute - Dermal	No hazard identified
Chronic - Oral	Not determined or not applicable.
Chronic - Inhalation	500 mg/m <sup>3</sup>
Chronic - Dermal	888 mg/kg bw/day
Acute - Oral	Not determined or not applicable.
Acute - Inhalation	No hazard identified
Acute - Dermal	No hazard identified
Chronic - Oral	Not determined or not applicable.
Chronic - Inhalation	No hazard identified
Chronic - Dermal	No hazard identified
Acute - Oral	51 mg/kg bw/day
Acute - Inhalation	178 mg/m³
Acute - Dermal	No hazard identified
Chronic - Oral	26 mg/kg bw/day
Chronic - Inhalation	89 mg/m³
Chronic - Dermal	319 mg/kg bw/day
Acute - Oral	Not determined or not applicable.
Acute - Inhalation	No hazard identified
Acute - Dermal	No hazard identified
Chronic - Oral	Not determined or not applicable.
Chronic - Inhalation	No hazard identified
Chronic - Dermal	No hazard identified
	Acute - Inhalation Acute - Dermal Chronic - Oral Chronic - Inhalation Chronic - Dermal Acute - Oral Acute - Oral Acute - Inhalation Acute - Dermal Chronic - Oral Chronic - Inhalation Chronic - Inhalation Chronic - Dermal Acute - Oral Acute - Oral Acute - Inhalation Chronic - Dermal Acute - Inhalation Acute - Dermal Chronic - Oral Chronic - Oral Chronic - Inhalation Acute - Oral Acute - Oral Acute - Oral Acute - Oral Acute - Inhalation Acute - Inhalation Acute - Inhalation Acute - Dermal Acute - Inhalation

Ingredient Name: 2-methylpropan-1-ol

CAS #: 78-83-1

CAS #. 70-03-1	<b>45</b> #. 70-03-1		
	Acute - Oral	Not determined or not applicable.	
	Acute - Inhalation	Hazard identified but no DNEL available	
Workers - Systemic	Acute - Dermal	No hazard identified	
Effects	Chronic - Oral	Not determined or not applicable.	
	Chronic - Inhalation	Hazard identified but no DNEL available	
	Chronic - Dermal	No hazard identified	
	Acute - Oral	Not determined or not applicable.	
	Acute - Inhalation	Hazard identified but no DNEL available	
Workers - Local	Acute - Dermal	Hazard identified but no DNEL available	
Effects	Chronic - Oral	Not determined or not applicable.	
	Chronic - Inhalation	310 mg/m <sup>3</sup>	
	Chronic - Dermal	Hazard identified but no DNEL available	

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-05-05 Page 11 of 20

### **AUX-400-RINSE**

	Acute - Oral	No hazard identified
	Acute - Inhalation	Hazard identified but no DNEL available
General Population -	Acute - Dermal	No hazard identified
Systemic Effects	Chronic - Oral	No hazard identified
	Chronic - Inhalation	Hazard identified but no DNEL available
	Chronic - Dermal	No hazard identified
	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	Hazard identified but no DNEL available
General Population -	Acute - Dermal	Hazard identified but no DNEL available
Local Effect	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	55 mg/m³
	Chronic - Dermal	Hazard identified but no DNEL available

### Predicted No Effect Concentration (PNEC):

Ingredient Name: Propan-2-ol

CAS #: 67-63-0

<b>Environmental Protection Target</b>	PNEC
Fresh water	No hazard identified
Freshwater sediments	No hazard identified
Marine water	No hazard identified
Marine sediments	No hazard identified
Microorganisms in sewage treatment	No hazard identified
Soil (agricultural)	No hazard identified
Air	No hazard identified
Oral (Secondary Poisoning)	No exposure expected

Ingredient Name: 2-methylpropan-1-ol

CAS #: 78-83-1

<b>Environmental Protection Target</b>	PNEC
Fresh water	No hazard identified
Freshwater sediments	No hazard identified
Marine water	No hazard identified
Marine sediments	No hazard identified
Microorganisms in sewage treatment	No hazard identified
Soil (agricultural)	No hazard identified
Air	No hazard identified
Oral (Secondary Poisoning)	No exposure expected

### Information on monitoring procedures:

Not determined or not applicable.

### 8.2 Exposure controls

## Appropriate engineering controls:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Personal protection equipment

Eye and face protection:

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-05-05 Page 12 of 20

**AUX-400-RINSE** 

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

#### Skin and body protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Full body protection should be worn. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

### Respiratory protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

### General hygienic measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

#### **Environmental exposure controls:**

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

Product (substance / mixture) related measures to prevent exposure:	Not determined or not applicable.
Instruction measures to prevent exposure:	Not determined or not applicable.
Organisational measures to prevent exposure:	Not determined or not applicable.
Technical measures to prevent exposure:	Not determined or not applicable.

#### Risk management measures to control exposure:

Not determined or not applicable.

### SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical State	Liquid
Color	Clear colorless liquid
Odor/Odor threshold	Cleaner and alcohol odor
pH	6-8
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	204 .8 F (96 C)
Flash point (closed cup)	102 F (39 C)
Flammability	Not determined or not available.
Upper flammability/explosive limit	36.9%
Lower flammability/explosive limit	5.8%
Vapor pressure	26 mm Hg @ 20 C
Relative vapor density	Not determined or not available.

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-05-05 Page 13 of 20

### **AUX-400-RINSE**

Density	0.940 - 0.950 g / mL
Relative density	Not determined or not available.
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	647.6 F (342 C)
Decomposition temperature	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Particle characteristics	Not determined or not available.

### 9.2 Other information

### 9.2.1 Information with regard to physical hazard classes

No data available/Not applicable
No data available/Not applicable

### 9.2.2 Other safety characteristics

None.

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity:

Not reactive under recommended handling and storage conditions.

### 10.2 Chemical stability:

Stable under recommended handling and storage conditions.

### 10.3 Possibility of hazardous reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

### 10.4 Conditions to avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources, static electricity and incompatible materials. Vapor accumulation in low or confined areas.

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-05-05 Page 14 of 20

**AUX-400-RINSE** 

#### 10.5 Incompatible materials:

None known.

### 10.6 Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

**Product data:** No data available.

Substance data:

Name	Route	Result
Propan-2-ol	oral	LD50 Rabbit: 6410 mg/kg
	dermal	LD50 Rabbit: 12,800 mg/kg
	inhalation	LC50 Rat: 72.6 mg/L (4 hr - Vapor)
2-methylpropan-1-ol	inhalation	LC50 Rat: >6.5 mg/L (4 hr - Vapor)
	oral	LD50 Rat: >2830 mg/kg
	dermal	LD50 Rabbit: >2000 mg/kg

#### Skin corrosion/irritation

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available. Substance data:

Name	Result
2-methylpropan-1-ol	Causes skin irritation.

### Serious eye damage/irritation

### Assessment:

Causes serious eye damage.

Product data:

No data available.

#### Substance data:

Name	Result
Propan-2-ol	Causes serious eye irritation.
2-methylpropan-1-ol	Causes serious eye damage.

### Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

**Product data:**No data available.

Substance data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

International Agency for Research on Cancer (IARC):

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-05-05 Page 15 of 20

#### **AUX-400-RINSE**

Name	Classification
Propan-2-ol	Group 3
	Not Applicable
Water	Not Applicable
2-methylpropan-1-ol	Not Applicable

#### Germ cell mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

### Reproductive Toxicity

Assessment: Based on available data, the classification criteria are not met.

**Product data:**No data available.

Substance data: No data available.

### Specific target organ toxicity (single exposure)

#### Assessment:

May cause drowsiness or dizziness.

Product data: No data available. Substance data:

Name	Result	
Propan-2-ol	May cause drowsiness or dizziness.	
2-methylpropan-1-ol	May cause respiratory irritation.	
	May cause drowsiness or dizziness.	

#### Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

**Product data:**No data available.

Substance data: No data available.

#### Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

**Product data:**No data available.

Substance data: No data available.

Information on likely routes of exposure:

No data available.

Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

### 11.2 Information on other hazards

Endocrine disrupting properties:

Substance data: No data available.

Other information: No data available.

### SECTION 12: Ecological information

### 12.1 Toxicity

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-05-05 Page 16 of 20

**AUX-400-RINSE** 

#### Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Propan-2-ol	Fish LC50 Pimephales promelas: 10,000 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: >10,000 mg/L (48 hr [immobilization])
2-methylpropan-1-ol	Fish LC50 Pimephales promelas: 1430 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia pulex: 1100 mg/L (48 hr [mobility])
	Aquatic Plants EC50 Raphidocelis subcapitata: 593 mg/L (72 hr [cell number])

### Chronic (long-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

#### Substance data:

Name	Result
Propan-2-ol	Aquatic Invertebrates NOEC Daphnia magna: 141 mg/L (16 d [growth])
2-methylpropan-1-ol	Aquatic Invertebrates NOEC Daphnia magna: 20 mg/L (21 d)

### 12.2 Persistence and degradability

Product data: No data available.

### Substance data:

Name	Result
Propan-2-ol	The substance has a BOD5/ThOD ratio of 0.50, and is therefore considered to be readily degradable.
2-methylpropan-1-ol	Readily biodegradable in water (70 - 80% degradation in 28 days, measured by oxygen consumption).

#### 12.3 Bioaccumulative potential

Product data: No data available.

#### Substance data:

Name	Result	
	Bioaccumulation is not expected. BCF (aquatic species): 1.015 L/kg ww [QSAR]	
2-methylpropan-1-ol	The substance is not expected to bioaccumulate (Log Kow: 0.76).	

### 12.4 Mobility in soil

Product data: No data available.

### Substance data:

Name	Result	
Propan-2-ol	The substance is highly mobile in soil with a low potential for adsorption to soil and sediment. Koc at 20 °C: 3.478	
2-methylpropan-1-ol	Highly mobile (calculated log Koc: 0.47)	

### 12.5 Results of PBT and vPvB assessment

#### Product data:

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT. **vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

Substance data:

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-05-05 Page 17 of 20

This substance is not vPvB.

### **AUX-400-RINSE**

#### PBT assessment:

Propan-2-ol	This substance is not PBT.		
2-methylpropan-1-ol	This substance is not PBT.		
vPvB assessment:			
Propan-2-ol	This substance is not vPvB.		

### 12.6 Endocrine disrupting properties

2-methylpropan-1-ol

Substance data: No data available.

12.7 Other adverse effects: No data available.

12.8 Hazard to the ozone layer

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. Substance data: No data available.

#### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

### 13.1.1 Product / Packaging disposal:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities.

Waste codes / waste designations according to LoW: Not determined or not available.

- **13.1.2** Waste treatment-relevant information: Not determined or not available.
- 13.1.3 Sewage disposal-relevant information: Not determined or not available.
- **13.1.4 Other disposal recommendations:** It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

### **SECTION 14: Transport information**

### International Carriage of Dangerous Goods by Road/Rail (ADR/RID)

UN number or ID number	1993	
UN proper shipping name	Flammable liquids n.o.s. (1-Methoxy-2-Propanol, Alcohols)	
UN transport hazard class(es)	3	
Packing group	III	
Environmental hazards	None	
Special precautions for user	None	
Limited quantity	May be shipped as LIMITED QUANTITY when shipped in quantities no larger than 5.0 Liter (1.3 gallon), in packages not exceeding 30 kg. See packing instruction 173.150 for non-bulk packaging.	

### International Carriage of Dangerous Goods by Inland Waterways (ADN)

UN number or ID number	1993	
UN proper shipping name	Flammable liquids n.o.s (1-Methoxy-2-propanol, Alcohols)	
UN transport hazard class(es)	3	

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-05-05 Page 18 of 20

### **AUX-400-RINSE**

Packing group	III	
Environmental hazards	None	
Special precautions for user	None	
	May be shipped as LIMITED QUANTITY when shipped in quantities no larger than 5.0 Liter (1.3 gallon), in packages not exceeding 30 kg. See packing instruction 173.150 for non-bulk packaging.	

### International Maritime Dangerous Goods (IMDG)

UN number or ID number	1993	
UN proper shipping name	Flammable liquids n.o.s. (1-Methoxy-2-propanol, Alcohols)	
UN transport hazard class(es)	3	
Packing group		
Environmental hazards	None	
Special precautions for user	None	
Limited quantity	May be shipped as LIMITED QUANTITY when shipped in quantities no larger than 5.0 Liter (1.3 gallon), in packages not exceeding 30 kg. See packing instruction 173.150 for non-bulk packaging.	

### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number or ID number	1993	
UN proper shipping name	Flammable liquids n.o.s. (1-Methoxy-2-propanol, Alcohols)	
UN transport hazard class(es)	3	
Packing group	III	
Environmental hazards	None	
Special precautions for user	None	
Limited quantity	May be shipped as LIMITED QUANTITY when shipped in quantities no larger than 5.0 Liter (1.3 gallon), in packages not exceeding 30 kg. See packing instruction 173.150 for non-bulk packaging.	

### Maritime Transport in Bulk according to IMO Instruments

Bulk Name	None
Ship type	None
Pollution category	None
IMO hazard class	None
Environmental hazards	None
Material hazardous only in bulk	None
Cargo Group	None

### SECTION 15: Regulatory information

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-05-05 Page 19 of 20

**AUX-400-RINSE** 

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

### **European regulations**

Inventory listing (EINECS): All ingredients are listed or exempt.

REACH SVHC candidate list: None of the ingredients are listed.

REACH SVHC Authorizations: None of the ingredients are listed.

#### **REACH Restriction:**

67-63-0	Propan-2-ol	Listed
7732-18-5	Water	Not Listed
78-83-1	2-methylpropan-1-ol	Not Listed

Water hazard class (WGK) (Product): Not determined.

### Water hazard class (WGK) (Substance):

Ingredient Name	CAS	Class	
Propan-2-ol	67-63-0	Water hazard class 1: slightly hazardous to water	
2-methylpropan-1-ol	78-83-1	Water hazard class 1: slightly hazardous to water	

#### Other regulations

**Germany TA Luft:** None of the ingredients are listed.

Additional information: Not determined.

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

### **SECTION 16: Other information**

# Abbreviations and Acronyms: None

### Classification procedure:

Classification according to Regulation (EC) No. 1272/2008 (CLP)	Method Used
Flammable liquids, category 3	On the basis of test data
Serious eye damage, category 1	Calculation method
Specific target organ toxicity - single exposure, category 3, narcotic effects	Calculation method

### Summary of classification(s) in section 3:

Flam. Liq. 2	Flammable liquids, category 2	
Eye Irrit. 2	Eye Irritation, category 2	
STOT SE 3 (CNS)	Specific target organ toxicity - single exposure, category 3, narcotic effects	
Flam. Liq. 3	Flammable liquids, category 3	
Skin Irrit. 2	Skin irritation, category 2	
Eye Dam. 1	Serious eye damage, category 1	
STOT SE 3 (RI)	Specific target organ toxicity - single exposure, category 3, respiratory tract irritation	

### Summary of hazard statements in section 3:

H225	Highly flammable liquid and vapour	
H319	Causes serious eye irritation	
H336	May cause drowsiness or dizziness	
H226	Flammable liquid and vapour	
H315	Causes skin irritation	

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-05-05 Page 20 of 20

### **AUX-400-RINSE**

H318	Causes serious eye damage
H335	May cause respiratory irritation

### Disclaimer:

This product has been classified in accordance with EC No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and EC No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation, and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

### Initial preparation date: 2023-05-05

### **Revision Notes:**

Revision Date	Notes
2023-05-05	Document Number 200276
2023-05-05	Revision A

**End of Safety Data Sheet**